

Physical Science

Tom Hsu, Ph.D.

FIRST EDITION

Cambridge Physics Outlet
Peabody, Massachusetts 01960



Unit 1: Forces and Motion



Chapter 1: Science and Measurement	1
1.1 Time and Distance	3
1.2 Investigations and Experiments	7
1.3 Speed	13
Chapter 1 Review	17
Chapter 2: Mathematical Models	21
2.1 Using a Scientific Model to Predict Speed	23
2.2 Position and Time	29
2.3 Acceleration	33
Chapter 2 Review	39
Chapter 3: Forces and Motion	43
3.1 Force, Mass, and Acceleration ...	45
3.2 Weight, Gravity, and Friction	52
3.3 Equilibrium, Action and Reaction .	58
Chapter 3 Review	62

Unit 2: Work and Energy



Chapter 4: Machines and Mechanical Systems	65
4.1 Forces in Machines	67
4.2 The Lever	71
4.3 Designing Gear Machines	73
Chapter 4 Review	77
Chapter 5: Work, Energy and Power	81
5.1 Work	83
5.2 Energy Conservation	87
5.3 Energy Transformations	91
Chapter 5 Review	95

Unit 3: Electricity and Magnetism



Chapter 6: Electricity and Electric Circuits	99
6.1 What Is a Circuit?	101
6.2 Charge	105
Chapter 6 Review	109
Chapter 7: Measuring Electricity	111
7.1 Voltage	113
7.2 Current	117
7.3 Resistance	121
Chapter 7 Review	126
Chapter 8: Electrical Relationships	129
8.1 Ohm's Law	131
8.2 Work, Energy, and Power	137
Chapter 8 Review	141
Chapter 9: Circuits	143
9.1 More Electric Circuits	145
9.2 Series Circuits	147
9.3 Parallel Circuits	150
Chapter 9 Review	153
Chapter 10: Magnets and Motors	157
10.1 Permanent Magnets	159
10.2 Electromagnets	164
10.3 Electric Motors and Generators .	168
Chapter 10 Review	173



CONTENTS

Table of Contents




Unit 4: Sound and Waves



Chapter 11: Harmonic Motion	177
11.1 Harmonic Motion	179
11.2 Graphs of Harmonic Motion	184
11.3 Simple Mechanical Oscillators ...	188
Chapter 11 Review	189
Chapter 12: Waves	193
12.1 Waves	195
12.2 Waves in Motion	200
12.3 Natural Frequency and Resonance	203
Chapter 12 Review	207
Chapter 13: Sound and Music	211
13.1 Sound	213
13.2 Properties of Sound	215
13.3 Music	224
Chapter 13 Review	227

Unit 5: Light and Optics



Chapter 14: Light and Color	231
14.1 Introduction to Light	233
14.2 Color	242
Chapter 14 Review	249
Chapter 15: Optics	253
15.1 Seeing an Image	255
15.2 The Human Eye	264
15.3 Optical Technology	267
Chapter 15 Review	271

Unit 6: Properties of Matter



Chapter 16: What is Matter?	275
16.1 Classifying Matter	277
16.2 Measuring Matter	280
16.3 States of Matter	283
Chapter 16 Review	287
Chapter 17: Properties of Matter	289
17.1 Properties of Solids	291
17.2 Density of Fluids	295
17.3 Buoyancy of Fluids	297
17.4 Viscosity of Fluids	302
Chapter 17 Review	306
Chapter 18: Atoms and Elements	309
18.1 Atomic Structure	311
18.2 Comparing Atoms	315
18.3 The Periodic Table of Elements .	320
Chapter 18 Review	323

Unit 7: Changes in Matter



Chapter 19: Molecules and Compounds	325
19.1 Bonding and Molecules	327
19.2 Chemical Formulas	334
19.3 Comparing Molecules	341
Chapter 19 Review	347
Chapter 20: Chemical Reactions	351
20.1 Chemical Changes	353
20.2 Chemical Equations	357
20.3 Conservation of Mass	363
20.4 Using Equations as Recipes	365
Chapter 20 Review	369
Chapter 21: Types of Reactions	373
21.1 Classifying Reactions	375
21.2 Energy in Reactions	381
Chapter 21 Review	383
Chapter 22: Chemistry and the Environment	385
22.1 Nuclear Reactions	387
22.2 Carbon Reactions	394
Chapter 22 Review	398



CONTENTS

Table of Contents



Unit 8: Water and Solutions



Chapter 23: Solutions	401
23.1 What is a Solution?	403
23.2 Dissolving Rate	406
23.3 Solubility	409
Chapter 23 Review	416
Chapter 24: Water Quality	419
24.1 Water	421
24.2 The Water Cycle	425
Chapter 24 Review	432
Chapter 25: Acids and Bases	435
25.1 Acids, Bases, and pH	437
25.2 Acid Rain	444
Chapter 25 Review	446

Unit 9: Heating and Cooling



Chapter 26: Measuring Heat	449
26.1 Temperature Scales	451
26.2 Measuring Changes in Heat	455
26.3 Specific Heat	458
Chapter 26 Review	461
Chapter 27: Heat Transfer	465
27.1 Conduction	467
27.2 Convection	470
27.3 Radiation	474
Chapter 27 Review	477
Chapter 28: Heating, Cooling, and Systems	479
28.1 Weather	481
28.2 Living Systems	487
28.3 Mechanical Systems	491
Chapter 28 Review	496
Reference Section	499
Glossary	509
Index	525

UNIT 7



Changes in Matter

Introduction to Chapter 19

Pure elements are made up of one type of atom. Compounds are made up of molecules which consist of more than one type of atom. Why is it that most of the substances found on earth are compounds? Why do atoms usually associate with other atoms instead of existing alone? In this chapter, you will explore why atoms form chemical bonds to make molecules and compounds.

Investigations for Chapter 19

19.1 Bonding and Molecules *Why do atoms form chemical bonds?*


In this Investigation, you will build models of atoms and discover one of the fundamental ideas in chemistry: How electrons are involved in the formation of chemical bonds.

19.2 Chemical Formulas *Why do atoms combine in certain ratios?*

In this Investigation, you will discover how the arrangement of electrons in atoms is related to groups on the periodic table. You will also learn why atoms form chemical bonds with other atoms in certain ratios.


19.3 Comparing Molecules *How can you determine the chemical formula of a compound?*

Atoms combine in whole number ratios to form chemical compounds. In fact, the same two elements may form several different compounds by combining in different ratios. Chemical formulas show the ratios in which elements combine to form a compound. In this Investigation, you will use nuts and bolts to illustrate the meaning of chemical formulas.



Chapter 19

Molecules and Compounds



Learning Goals

In this chapter, you will:

- ✓ Relate the chemical behavior of an element, including bonding, to its placement on the periodic table.
- ✓ Identify how elements form chemical bonds and the role of electrons in bonding.
- ✓ Predict the chemical formulas of compounds made up of two different elements.
- ✓ Write chemical formulas for compounds made up of many different types of elements.
- ✓ Calculate the formula mass of a compound and compare different compounds based on their formula masses.
- ✓ Identify the environmental and economic impact of recycling plastics.

Vocabulary

Avogadro number	diatomic molecule	ion	polymer
chemical bond	energy level	monoatomic ion	react
chemical formula	formula mass	octet	subscript
covalent bond	ionic bond	polyatomic ion	valence electron



19.1 Bonding and Molecules

Most of the matter around you and inside of you is in the form of compounds. For example, your body is about 80 percent water. You learned in the last unit that water, H_2O , is made up of hydrogen and oxygen atoms combined in a 2:1 ratio. If a substance is made of a pure element, like an iron nail, chances are (with the exception of the noble gases) it will eventually **react** with another element or compound to become something else. Why does iron rust? Why is the Statue of Liberty green, even though it is made of copper? The answer is fairly simple: Most atoms are unstable unless they are combined with other atoms. In this section, you will learn how, and *why*, atoms combine with other atoms to form **molecules**. Molecules are made up of more than one atom. When atoms combine to make molecules, they form **chemical bonds**.


Why do atoms form chemical bonds?

The outer electrons are involved in bonding

Electrons in atoms are found in **energy levels** surrounding the nucleus in the form of an electron cloud. The higher the energy level, the more energy is required in order for an electron to occupy that part of the electron cloud. The outermost region of the electron cloud contains the **valence electrons** and is called the *valence shell*. The maximum number of valence electrons that an atom can have is *eight*. The exception to this rule is the first energy level, which only holds *two* electrons. Valence electrons are the ones involved in forming chemical bonds.


Stable atoms have eight valence electrons

Stable atoms have eight valence electrons. When an atom has eight valence electrons, it is said to have an **octet** of electrons. Figure 19.1 shows neon with a complete octet. In order to achieve this octet, atoms will lose, gain, or share electrons. An atom with a complete octet is chemically *stable*. An atom with an incomplete octet, like sodium (figure 19.2), is chemically *unstable*. Atoms form bonds with other atoms by either sharing them, or transferring them in order to complete their octet and become stable. This is known as the **octet rule**.



NEON ATOM

Figure 19.1: A neon atom is chemically stable because it has a complete octet, or eight valence electrons.



SODIUM ATOM


Figure 19.2: A sodium atom is chemically unstable because it has only one valence electron.

Exceptions to the octet rule Look at a periodic table on page 329. Which atoms do you think are an exception to the octet rule? Remember, the first energy level only needs two electrons, not eight. Hydrogen, with only one electron, needs only one more to fill its valence shell. Helium, with two electrons, has a full valence shell (figure 19.3). This means that helium is chemically stable and does not bond with other atoms.

Stable atoms have full valence shells What about lithium? It has three electrons. This means that its first shell is full but there is one extra electron in the second shell. Would it be easier for lithium (figure 19.4) to gain seven electrons to fill the second shell—or to lose one electron? You probably would guess that it is easier to lose one electron than gain seven. You would be correct in your guess, for lithium loses one electron when it bonds with other atoms. Table 19.1 shows the number of valence electrons and the number needed to complete the octet for the first 18 elements.


Table 19.1: Elements, number of valence electrons, and number needed to complete the octet

element	valence electrons	number needed	element	valence electrons	number needed
H	1	1	Ne	8	0
He	2	0	Na	1	7
Li	1	7	Mg	2	6
Be	2	6	Al	3	5
B	3	5	Si	4	4
C	4	4	P	5	3
N	5	3	S	6	2
O	6	2	Cl	7	1
F	7	1	Ar	8	0



HELIUM ATOM

Figure 19.3: Helium atoms have only two electrons, both of which are in the outermost level. Helium is an exception to the octet rule.



LITHIUM ATOM

Figure 19.4: Lithium atoms have three electrons. Since the first energy level only holds two electrons, lithium has one valence electron. If lithium loses that electron, it will have a full valence shell with two electrons.



Using the periodic table to determine valence electrons

Do you remember how the periodic table is organized? With the exception of the transition metals, the *column* of the table tells you how many valence electrons each element has. For example, the atoms of the elements in column 1 have only *one* valence electron. Elements in column 2 have *two* valence electrons. Next, we skip to column 13 headed by boron. Atoms in this column have three valence electrons. Columns 14 through 18 have *four*, *five*, *six*, *seven*, and *eight* valence electrons, respectively.

Partial Periodic Table
Number of valence electrons in parentheses

(1) 1	(2) 2	Transition metals - groups 3 - 12 (Variable number of valence electrons)										(3) 13	(4) 14	(5) 15	(6) 16	(7) 17	(8) 18
H 1												B 5	C 6	N 7	O 8	F 9	He 2
Li 3	Be 4											Al 13	Si 14	P 15	S 16	Cl 17	Ar 18
Na 11	Mg 12	Sc 21	Ti 22	V 23	Cr 24	Mn 25	Fe 26	Co 27	Ni 28	Cu 29	Zn 30	Ga 31	Ge 32	As 33	Se 34	Br 35	Kr 36
K 19	Ca 20											In 49	Sn 50	Sb 51	Te 52	I 53	Xe 54
Rb 37	Sr 38	Y 39	Zr 40	Nb 41	Mo 42	Tc 43	Ru 44	Rh 45	Pd 46	Ag 47	Cd 48						

How do you show valence electrons in a diagram?

Valence electrons are often represented using *dot diagrams*. This system was developed in 1916 by G.N. Lewis, an American chemist. The symbol of the element in the diagram represents the nucleus of an atom and all of its electrons except for the valence electrons. The number of dots placed around the symbol of the element is equal to the number of valence electrons. The arrangement of the dots has no special significance and does not show the actual location of the electrons around the nucleus of the atom. Dots are shown in pairs around the four sides of the symbol as a reminder that electrons occur in pairs in the valence shell. Electrons begin to pair up only when no more single spaces are left. This is why the first four electrons are shown as single dots around the symbol, as in the diagram for carbon in figure 19.5.




Figure 19.5: Dot diagrams show the numbers of valence electrons.

Types of chemical bonds

Chemical bonds result in molecules with different properties

Sodium is a soft, silvery metal so reactive that it must be stored so it does not come into contact with the air. Chlorine exists as a yellow-green gas that is very poisonous. When atoms of these two elements chemically bond, they become the white crystals that you use to make your food taste better: sodium chloride, also known as table salt. When chemical bonds form between atoms, the molecules formed are very different from the original elements they are made out of. What is the “glue” that helps hold atoms together to form so many different compounds? To answer this question, we must study the *types* of chemical bonds.

Ionic bonds

Recall that atoms will gain, lose, or share electrons in order to gain eight valence electrons in their outermost shell, that being the most stable configuration. **Ionic bonds** are formed when atoms gain or lose electrons. Sodium has one valence electron in its third energy level. If sodium loses that electron, its second energy level becomes full and stable with eight electrons. Chlorine has seven valence electrons. If chlorine gains only one electron, its valence shell will be full and stable. Do you think these two atoms are likely to bond?





Figure 19.6: Sodium and chlorine form an ionic bond to make sodium chloride (table salt).



Ionization In the last unit, you learned that all atoms are electrically neutral because they have the same number of protons and electrons. When atoms gain or lose electrons, they become **ions**, or atoms that have an electrical charge.

A neutral sodium atom has 11 positively charged protons and 11 negatively charged electrons. When sodium loses one electron to become more stable, it has 11 protons (+) and 10 electrons (-) and becomes an ion with a charge of +1. This is because it now has one more positive charge than negative charges (figure 19.7).

A neutral chlorine atom has 17 protons and 17 neutrons. When chlorine gains one electron to complete its stable octet, it has 17 protons (+) and 18 electrons (-) and becomes an ion with a charge of -1. This is because it has gained one negative charge (figure 19.8).

Opposites attract Because the sodium ion has a positive charge and the chlorine ion has a negative charge, the two atoms become attracted to each other and form an ionic bond. Recall that opposite charges attract. When sodium, with its +1 charge, comes into contact with chlorine, with its -1 charge, they become electrically neutral as long as they are together. This is because +1 and -1 cancel each other out. This also explains why sodium and chlorine combine in a 1:1 ratio to make sodium chloride (figure 19.9).

Covalent bonds Most atoms *share* electrons to in order to gain a stable octet. When electrons are shared between two atoms, a **covalent bond** is formed. Covalent bonds can form between two different types of atoms, or between two or more atoms of the same type. For example, chlorine, with seven valence electrons, sometimes shares an electron with another chlorine atom (figure 19.10). With this configuration, both atoms can share an electron through a covalent bond to become more stable. Many elemental gases in our atmosphere exist in pairs of covalently bonded atoms. The gases nitrogen (N₂), oxygen (O₂) and hydrogen (H₂) are a few examples. We call these covalently bonded atoms of the same type **diatomic molecules** (see Table 20.1, “Elements that exist as diatomic molecules,” on page 358).



Figure 19.7: When sodium loses an electron, it becomes an ion with a +1 charge.



Figure 19.8: When chlorine gains an electron, it becomes an ion with a -1 charge.



Figure 19.9: Sodium and chlorine form an ionic bond. The compound sodium chloride is electrically neutral as long as the two ions stay together.



Figure 19.10: Two chlorine atoms share the pair of electrons between them to form a covalent bond.

How can you tell whether a bond is ionic or covalent?


Ionic bonds are formed by the attraction of two oppositely charged particles, while covalent bonds are formed when atoms share electrons. Which pairs of atoms are more likely to form ionic bonds? Which are more likely to form covalent bonds? Elements can be classified as *metals*, *metalloids*, and *nonmetals*. The periodic table inside the cover of this book shows these classifications. Generally, bonds between a metal and a nonmetal tend to be ionic in character while bonds between two nonmetals can be classified as covalent. However, electron pairs are sometimes shared *unequally* in covalent bonds. The attraction an atom has for the shared pair of electrons in a covalent bond is called an atom's **electronegativity**.

- Empty space
- Valence electron



Atoms in column 17 have high electronegativity

For example, in a bond between hydrogen and chlorine, that electron pair is pulled toward the chlorine nucleus. This is because chlorine has very high electronegativity. Atoms in column 17 of the periodic table tend to have very high electronegativity. *Based on what you have learned about valence electrons and stability of atoms, why do you think this is true?* If you suppose that it is because these atoms only need one more electron to complete their octet, you are correct! Atoms with high electronegativity tend to want to *gain* electrons to complete their octet.



Atoms in columns 1 and 2 have low electronegativity

Conversely, atoms in the first two columns of the periodic table tend to have the lowest electronegativity. This is because they want to *get rid* of the electrons in their highest level so that their next level has a full octet. Bonds between atoms with opposite electronegativities tend to be *ionic*.

Linus Pauling



Linus Pauling developed a system for assigning electronegativity values for each element. This is just one of his many accomplishments. He is the only person to have won two unshared Nobel prizes, for chemistry in 1954, and for peace in 1962. His passion was to warn the public about the dangers of nuclear weapons, but he was equally dedicated to chemistry as it helps humanity.




Figure 19.11: *The ethylene molecule is the building block, or subunit, of synthetic plastics. That is why plastics are often referred to as “polyethylenes.”*



★ Environmental Issue: Paper or Plastic?

What is plastic? Plastics are **polymers**. You may already know that the prefix *poly-* means “many” and the suffix *-mer* means “unit.” A polymer is a large molecule that is composed of repeating smaller molecules. The building block or subunit of synthetic plastics is a molecule called ethylene (figure 19.11). Paper is made out of a natural polymer called cellulose. Cellulose, the most abundant polymer on Earth, is made out of many subunits of glucose molecules. The difference between a natural polymer like cellulose, and the man-made polymer that is used to make a bag or a soda bottle is that cellulose is easily digested by microorganisms. In contrast, synthetic plastics are not easily broken down. For this reason, when you throw a plastic cup away, there isn’t much chance it will decompose quickly or at all.

Why can’t microorganisms digest plastic? In order for microorganisms to be able to break down a plastic molecule, they must have access to an exposed end or side branch of the molecule. Because synthetic plastics are such long chains of carbon surrounded by hydrogens, there are no places for microorganisms to begin “biting” on the molecule. Since most plastics we use are man-made, microorganisms are not able to consume them.

Biodegradable plastics One way to approach the plastics problem is to make them *biodegradable*. This means that microbes such as bacteria and fungi can “eat” the plastic. Making biodegradable plastics involves creating exposed ends on the molecules so microbes can get a start. This is done by inserting a food item that microbes readily eat into into a plastic. For instance, starch can be inserted in the polyethylene molecule. Once microbes have eaten the starch, two ends of polyethylene are exposed. Many plastic grocery bags contain starch.

Recycling plastics You may be familiar with the recycling symbols on the bottoms of plastic bottles. Those symbols allow you to sort the different plastics that make up each kind of plastic. Choosing the kind of plastic that is used for a certain product is a careful decision. Think about the wide variety of plastic containers (and don’t forget their lids) that are used for certain products. In order to recycle plastic, you need to melt it so that it can be remolded into new containers or extruded into a kind of fabric that is used for sweatshirts.




Figure 19.12: Inserting starch molecules into the polyethylene chain provides a place for microorganisms to begin breaking it down.




Figure 19.13: Recycling symbols found on plastic products tell you the type of plastic and are used in sorting the plastics for recycling. Can you find these symbols on products you use every day?

The cover is an evocative montage of historic scientific achievements that demonstrate the incredible persistence of the human intellect. Around the border, DaVinci's graphics represent the start of an evolving tapestry of conceptual thinking. His fantastical mechanisms become the modern bicycle, a quintessential machine, which rolls into a graphical interpretation of wavelength division multiplexing on a fiber optic. These images follow 500 years of scientific and technological innovation. The Earth and DNA serve to remind us that this technological innovation will always remain deeply connected to the natural world. On the back cover, the elegant geometry of the chambered nautilus folds into a spiral defined by the Golden Rectangle. The interplay of organic and architectural forms represents the balance we seek between the power of technology and the fragility of our lives and our world. I hope this colorful interplay of images will inspire interest and excitement about the discovery of science.

Bruce Holloway - Senior Creative Designer

Foundations of Physical Science
Copyright © 2002 Cambridge Physics Outlet
ISBN 1-58892-005-4
3 4 5 6 7 8 9 - QWE - 05 04 03

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system, without permission in writing. For permission and other rights under this copyright, please contact:

Cambridge Physics Outlet
26 Howley Street
Peabody, MA 01960
(800) 932-5227
<http://www.cpo.com>

Printed and Bound in the United States of America